

Diamond Aircraft Industries GmbH N.A. Otto-Straße 5 A-2700 Wiener Neustadt Austria DAI SI 40NG-015 Page 1 of 1 22-May-2012 FT

# SERVICE INFORMATION NO. SI 40NG-015

NOTE: SI's are used only:

To distribute information from DAI to our customers.
To distribute applicable information/documents from our suppliers to our customers with additional information.
Typically there is no revision service for SI's. Each new information or change of that will be sent along with a new SI.

# I. TECHNICAL DETAILS

#### 1.1 Airplanes affected:

All DA 40 NG airplanes equipped with Garmin G1000 system

#### 1.2 Subject:

GARMIN Service Bulletin No. 1210 Revision A ATA-Code: 34-30

#### 1.3 Reason:

GARMIN has issued Service Bulletin No. 1210 Revision A providing notice of a required supplement that documents an operating limitation associated with the use of SafeTaxi®.

#### 1.4 Information:

For detailed technical information refer to GARMIN Service Bulletin No. 1210 Revision A which is applicable without any further additions or restrictions.

## II. OTHERS

GARMIN Service Bulletin No. 1210 Revision A is attached to this Service Information.

In case of doubt contact Diamond Aircraft Industries GmbH.



# **SERVICE BULLETIN**

NO.: 1210 Revision A

**TO:** Garmin Aviation Service Centers and Owner/Operators of EASAapproved installations of Garmin Integrated Flight Deck Systems and GMX 200 units.

**DATE:** April 12, 2012

**SUBJECT:** SafeTaxi® Availability In Europe

### **PURPOSE**

Beginning May 3, 2012, the SafeTaxi<sup>®</sup> database will be available for EASA (European Aviation Safety Agency)-certified aircraft for the products/systems listed in the Products Affected section of this bulletin.

## DESCRIPTION

This bulletin provides notice of a required supplement that documents an operating limitation associated with the use of SafeTaxi®.

There is no installation or enablement needed. The SafeTaxi® database can be purchased and downloaded from <u>www.flyGarmin.com</u>. The affected products/systems (listed in the Products Affected section) are certified to use the SafeTaxi® database to provide situational awareness while on the ground. However, to use SafeTaxi®, EASA-approved installations must have an EASA-approved limitation included in the aircraft AFM/AFMS (Airplane Flight Manual/Airplane Flight Manual Supplement). One method that EASA has approved consists of printing page 4 of this bulletin, recording the aircraft serial number and registration where indicated, and inserting that page into the AFM Supplement Section as a standalone optional equipment supplement or adding it as a standalone supplement to the AFMS prior to utilizing the SafeTaxi® feature.

## PRODUCTS AFFECTED

EASA-approved installations of G1000, G1000H, G950, G900X, G500, G500H, G600, Cirrus Perspective<sup>™</sup>, Embraer Prodigy® integrated flight deck systems, and GMX 200 units that do not already include the limitation (or its equivalent), are affected by this bulletin.

© Copyright 2012 Garmin Ltd. or its subsidiaries All Rights Reserved

Except as expressly provided herein, no part of this document may be reproduced, copied, transmitted, disseminated, downloaded or stored in any storage medium, for any purpose without the express prior written consent of Garmin. Garmin hereby grants permission to download a single copy of this document and any revision to this document onto a hard drive or other electronic storage medium to be viewed and to print one copy of this document or any revision hereto, provided that such electronic or printed copy of this document or revision must contain the complete text of this copyright notice and provided further that any unauthorized commercial distribution of this document or any revision hereto is strictly prohibited.

## APPROVAL

The contents and methods described in this bulletin have been approved by EASA.

## AFM/AFMS AND PILOT'S GUIDE CONSIDERATIONS

This bulletin includes the EASA-approved limitation for SafeTaxi®. Compliance with this Service Bulletin requires the addition of a printed copy of page 4 as a standalone supplement to the flight manual or the flight manual supplement (whichever is applicable) and must be carried aboard the aircraft along with these required documents.

### COMPLIANCE

### MANDATORY

The limitation (page 4 of this bulletin) or equivalent is required in the affected AFM/AFMS to utilize SafeTaxi®.

Compliance with this bulletin is <u>not required</u> if the affected AFM/AFMS already includes the limitation (e.g. GTN installations installed under EASA STC 10037574). Other means of compliance include AFM/AFMS revision by other approved means.

## **REFERENCES**

SafeTaxi® use on EASA-certified Aircraft (page 4 of this bulletin)

## MANPOWER

None

## WARRANTY INFORMATION

Compliance with this bulletin is not covered under warranty.

## **MODIFICATION INSTRUCTIONS**

The Garmin SafeTaxi® database can be obtained by following the instructions in the Aviation Databases section of the Garmin website (<u>www.fly.garmin.com</u>).

Insert a copy (ensure that aircraft serial number and registration have been recorded) of the standalone supplement (page 4 of this bulletin), or an appropriate equivalent, in the AFM "Supplement" section or add it as a standalone supplement to the AFMS.

## **TESTING PROCEDURE**

None

## **MATERIAL INFORMATION**

None

# GARMIN

EASA-approved Flight Manual Supplement SafeTaxi® use on EASA-certified Aircraft

Aircraft Serial Number\_\_\_\_\_

Aircraft Registration\_\_\_\_\_

#### GENERAL

SafeTaxi® provides improved situational awareness by providing taxiways, runways, and other aerodrome ground information on the display in accordance with the available airport data.

### **OPERATING – LIMITATIONS**

Do not use SafeTaxi® or Chartview functions as the basis for ground maneuvering. SafeTaxi® and Chartview functions have not been qualified to be used as an Airport Moving Map Display (AMMD). SafeTaxi® and Chartview are intended to improve pilot situational awareness during ground operations and should only be used by the flight crew to orient themselves on the airport surface.

#### EMERGENCY PROCEDURES

No change.

NORMAL PROCEDURES

No change.

#### PERFORMANCE

No change.

#### WEIGHT AND BALANCE

No change.

#### SYSTEM DESCRIPTIONS

No change.

#### EASA Approval Reference 10039306

© Copyright 2012 Garmin Ltd. or its subsidiaries All Rights Reserved

Except as expressly provided herein, no part of this document may be reproduced, copied, transmitted, disseminated, downloaded or stored in any storage medium, for any purpose without the express prior written consent of Garmin. Garmin hereby grants permission to download a single copy of this document and any revision to this document onto a hard drive or other electronic storage medium to be viewed and to print one copy of this document or any revision hereto, provided that such electronic or printed copy of this document or revision must contain the complete text of this copyright notice and provided further that any unauthorized commercial distribution of this document or any revision hereto is strictly prohibited.

Service Bulletin 1210 April 12, 2012 Page 4 of 4 Revision A